

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2009/06/25 16:34
L2	16	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2009/06/25 16:34
L3	247	mathworks.as.	US-PGPUB; USPAT	OR	ON	2009/06/25 16:34
L4	22	L3 and (graphic\$4 and interface and parameter). clm.	US-PGPUB; USPAT	OR	ON	2009/06/25 16:34
L5	100	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099") .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L6	571	717/109.ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L7	916	717/106.ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L8	858	L6 or L7 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L9	539	L8 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L10	291	L9 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L11	333	L9 and (code near (generat \$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L12	262	L11 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L13	2	L10 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L14	260	L12 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L15	188	L14 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L16	154319	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L17	167	L16 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L18	167	L17 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L19	13	("4695833" "5432903" "5485601" "5495567" "5603034" "5664180" "5668966" "5696975" "5760788" "5923885" "5946693" "5966532" "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/25 16:34
L20	128	L18 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L21	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L22	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L23	51	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L24	30	L23 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L25	179	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L26	74	L25 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L27	10	(US-20030074235-\$ or US-20040255269-\$ or US-20040230945-\$ or US-20040111696-\$ or US-20020010908-\$).did. or (US-5892510-\$ or US-6701513-\$ or US-6684385-\$ or US-6421822-\$ or US-6053951-\$ or US-5481712-\$ or US-5187788-\$ or US-5966532-\$ or US-5933642-\$).did.	US-PGPUB; USPAT	OR	ON	2009/06/25 16:34
L28	1	L27 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L29	122	(header adj file) with (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L30	77	L29 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L31	67	L30 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L32	1217	(pragma or directive) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L33	272	L32 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L34	2	L27 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L35	28	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L36	247	(header adj file) same (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L37	2	L33 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L38	300	pragma with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L39	13	L38 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L40	1025	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L41	335	L40 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L42	150	L41 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L43	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L44	94	L42 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L45	28	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L46	4364	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L47	492	L46 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L48	57	L47 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L49	119	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L50	114	L49 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L51	96	L50 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L52	60	L51 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L53	144	L47 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L54	108	L53 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L55	69	L50 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L56	72	L49 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L57	21	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L58	65	L26 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L59	506	(L6 or L7) and @pd>="20070305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L60	3	L3 and (storage near class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L61	10	("20020174417" "20030016206" "20040031015" "5978581" "6023578" "6199195" "6212672" "6321374" "6609130" "6651240").PN. OR ("7367012").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/25 16:34
L62	3	"custom storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L63	16	tlc near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L64	30	(custom near instruction) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L65	571	717/109.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L66	916	717/106.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L67	410	(L65 or L66) and @pd> = "20070813"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L68	255	L67 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L69	258	(L65 or L66) and @pd> = "20080529"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34

L70	156	L69 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:34
L71	114	(L65 or L66) and @pd> = "20090109"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:39
L72	79	71 and model\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:39
L73	58	72 and (generat\$4 near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 16:40

6/ 25/ 2009 4:44:38 PM

C:\Documents and Settings\qchen\My Documents\EAST\Workspaces\doctet\10698820.wsp